



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Lawrence County are stored on microfilm Reel 1903 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

T 3 N

R 2 E



Township N. III North, Range N. II East. Surveyed by Arthur Henric 1800.

S. Boundary L3 N.R. 2 E. Random

West	Between Towns N ^o 2 & 3 in Ranges N ^o 2 East on Random
40.00	Set a temporary half mile post level oak timbered land
80.00	Set temporary mile post this half mile over level oak timbered land. great many falling trees
West	Random line continued
40.00	Set a temporary half mile post
80.00	Set a temporary mile post - Land the same quality
West	Line continued
40.00	Set a temporary half mile post
80.00	Set a temporary mile post - This mile over level oak & Hickory, timbered land Underbrush Dogwood & Sassafras
West	Line continued
40.00	Set a temporary half mile post
80.00	Set a temporary mile post - Land the same quality
West	Line continued
40.00	Set a temporary half mile post
80.00	Set a temporary mile post - Land the same quality
West	Line continued
40.00	Set a temporary half mile post
65.00	Buck 50 Links course South. West
84.96	Intersected the North & South line 3.50 Links South of the Town corner This mile over good farming land - Timber Oak & Hickory -

S. Boundary, T. 3 N. R. 2 E. Continued.

- East Between Towns 283 North, Range 2 East on true line -
- 110.96 Set the temporary half mile post on true line for $\frac{1}{4}$ Sec. corner from which a Dogwood 6 Inches dia. bears N 76 E $2\frac{1}{2}$ Links - a W. Oak 10 Inches dia. bears S 32 W $1\frac{1}{2}$ Links -
- 84.96 Set the temporary mile post on true line for the corner of Sec. N^o 31 T 32 T 2 N. R. 2 E - from which a W. Oak 12 Inches dia. bears N 75 W 5 Lks. & a Hickory 3 Inches dia. bears N 37 E 6 Links

- East Line continued
- 110.00 Set the temporary half mile post on true line for $\frac{1}{4}$ Sec. corner from which a Gum 12 Inches dia. bears S 55 W 13 Lks. & a Dogwood 6 Inches dia. bears N 40 E 18 Links -
- 80.00 Set the temporary mile post on true line for the corner of Sec. N^o 32 T 33 T 3 N. R. 2 E from which a Gum 14 Inches dia. bears N 45 W 11 Links & a Gum 10 Inches dia. bears S 73 E 22 Links

- East Line continued
- 110.00 Set the temporary half mile post on true line for $\frac{1}{4}$ Sec. corner from which a Dogwood 6 Inches dia. bears S 83 E 17 Links & a W. Oak 10 Inches dia. bears S 45 W 19 Links -
- 80.00 Set the temporary mile post on true line for the corner of Sec. N^o 33 T 34 T 3 N. R. 2 E from which a Dogwood 6 Inches dia. bears N 55 W 16 Lks & a Dogwood 6 Inches dia. bears S 89 E 9 Links

- East Line continued
- 110.00 Set the temporary half mile post on true line for $\frac{1}{4}$ Sec. corner of Sec. 34 from which a W. Oak 6 Inches dia. bears N 73 W 12 Lks & a W. Oak 10 Inches dia. bears N 78 E 21 Links -
- 80.00 Set the temporary mile post on true line for the corner of Sec. N^o 34 T 35 T 3 N. R. 2 East from which a W. Oak 10 Inches dia. bears S 79 W 15 Links - a W. Oak 8 Inches dia. bears S 70 E 26 Links

- East Line continued
- 110.00 Set the temporary half mile post on true line for $\frac{1}{4}$ Sec. corner from which a Poplar 6 Inches dia. bears N 52 E 8 Links & a W. Oak 8 Inches dia. bears S 60 W 12 Links -
- 80.00 Set the temporary mile post on true line for the corner of Sec. N^o 35 T 36 T 3 N. R. 2 E from which a Gum 8 Inches dia. bears N 86 W 18 Links & a Hickory 10 Inches dia. bears N 82 E 26 Links -

- East Line continued
- 110.00 Set the temporary half mile post on true line for $\frac{1}{4}$ Sec. corner from which a W. Oak 10 Inches dia. bears S 32 W 20 Links - a W. Oak 8 Inches dia. bears N 77 E 23 Lks -
- 80.00 Town corner

Sept. 22nd 1866.

N. E. Boundary, T. 3 N. R. 2 E.

- North Between Towns 383 Ranges 283 East of 2nd Meridian -
- 39.25 W. Oak 20 Inches dia. -
- 110.00 Set a half mile post from which a Dogwood 6 Inches dia. bears S 55 W $2\frac{1}{2}$ Lks. & a W. Oak 10 Inches dia. bears N 75 E 15 Links -
- 80.00 Set post corner of Sec. N^o 25 T 36 T 3 N. R. 2 E from which a W. Oak 10 Inches dia. bears S 17 W 11 Links - & a W. Oak 12 Inches dia. bears N 55 E 19 Links - good farming soil -

- North Line continued
- 110.00 Elm 20 Inches dia. $\frac{1}{4}$ Sec. corner of Sec. N^o 25 -
- 110.50 Spring course East -
- 80.00 Set post corner of sections N^o 24 T 25 T 3 N. R. 2 E. from which a Dogwood 6 Inches dia. bears S 17 W 11 Links & a Dogwood 5 Inches dia. bears N 17 E 7 Links - good farming oak timbered land -

- North Line continued
- 15.65 W. Oak 20 Inches dia. -
- 110.10 Set a half mile post from which a W. Oak 10 Inches dia. bears S 46 E 2 Links - & a Hickory 10 Inches dia. bears N 68 W 14 Links -
- 80.00 Set post corner of sections 24 T 13 T 3 N. R. 3 E from which a Poplar 40 Inches dia. bears S 4 W 15 Lks & a W. Oak 30 Inches dia. bears S 55 W 24 Links - this mile over good land Gum Oak & Hickory

- North Line continued
- 110.00 Set a half mile post from which a Hickory 12 Inches dia. bears S 74 W 17 Lks. & a W. Oak 10 Inches dia. bears S 60 W 25 Lks -
- 80.00 Set post corner of sections N^o 12 T 13 T 3 N. R. 2 E from which a Mulberry 10 Inches dia. bears S 50 E 25 Lks & a W. Walnut 10 Inches dia. bears N 5 W 26 Links - land the same quality -

North Line continued

40.00 Set a half mile post from which a B. Oak 15 Inches dia. bears S 40 E 21 Lks. a Dogwood 6 Inches dia. bears S 39 W 14 Lks.
 80.00 Set post corner of Sec. 11 N. 11. Town 3 N. R. 2 E from which a Beech 6 Inches dia. bears N 45 E 14 Lks. —
 a Sugar 20 Inches dia. bears S 46 W 22 Lks. — Land the same quality —

North Line continued

20.90 Beech 24 Inches dia.
 24.00 Brook 10 Lks wide course North. East —
 40.00 Set a half mile post from which a Beech 15 Inches dia. bears S 10 W 16 Lks. —
 the mother Beech 10 Inches dia. bears N 45 E 11 Lks. —
 80.00 Beech 20 Inches dia. corner of Towns N. 3. 3. 4 1/4 in Ranges 2 1/2 East, this mile over level, Beech Timbered Land

P. Boundary L. 11 A. R. 2 E. Sept 23^d 1806.

West Between Towns N. 3 1/4 North. Range 2 East of 2^d Meridian — Sec. 36

40.00 Set a half mile post from which a Beech 15 Inches dia. bears N 67 W 3 Lks. an Elm 24 Inches dia. bears N 70 E 31 Lks.
 80.00 Set post corner of Sec. N. 35 1/2 36. T. 4 N. R. 2 E. from which a Hickory 5 Inches dia. bears S 43 E 6 Lks. an Ash 8 Inches dia. bears N 15 W 20 Lks. — Rich broken Land — Timber Oak. Ash. Poplar Hickory — under brush spruce —

West Line continued — Sec. 35

40.00 Set a half mile post from which a Dogwood 5 Inches dia. bears S 51 W 12 Lks. a Hickory 6 Inches dia. bears N 76 E 23 Lks.
 80.00 Set post corner of Sections N. 34 1/2 35. T. 4 N. R. 2 E from which a Beech 14 Inches dia. bears S 72 W 30 Lks. a Sugar 10 Inches dia. bears S 40 E 23 Lks. — Land the same quality —

West Line continued — Sec. 34

31.00 Touched the North Side of a Brook 20 Links wide course South West —
 24.00 Same course North, West
 31.00 Same course South, West
 24.00 Same course North, West

40.00 Set a half mile post from which a Dogwood 6 Inches dia. bears S 70 W 17 Lks. a Beech 10 Inches dia. bears N 70 E 24 Lks.
 71.00 Same course South, West
 79.00 Same course North, West
 80.00 Set post corner of Sections N. 33 1/2 34 T. 4 N. R. 2 E from which a B. Walnut 40 Inches dia. bears S 44 E 2 Lks.
 Locust 6 Inches dia. bears N 7 W 30 Lks. — Land the same —

West Line continued — Sec. 33

24.00 Set post on the bank of W. River on the Indian Boundary at the Intersection from which an Elm 40 Inches dia. bears S 42 W 29 Lks. — Maple 8 Inches dia. bears N 35 E 23 Lks. —
 31.95 to where the river turned N. W. Set post at the crossing of the boundary from which a Redbud 6 Inches dia. bears S 42 W 2 Lks. a Hickory 8 Inches dia. bears N 44 W 7 Lks. —
 40.00 Set a half mile post from which a Beech 40 Inches dia. bears S 33 E 23 Lks. a Redbud 8 Inches dia. bears N 22 E 11 Lks.
 80.00 Set post corner of Sections N. 33 1/2 32. T. 4 N. R. 2 E. from which a Hickory 29 Inches dia. bears S 67 E 24 Lks. an Elm 12 Inches dia. bears S 5 W 19 1/2 Lks. — This mile over level Rich. Land —

West Line continued — Sec. 32

1.00 Set post on the Indian boundary or W. River from which a Sycamore 40 Inches dia. bears S 6 E 2 Lks. a Sycamore 30 Inches dia. bears N 56 E 23 Lks. — course of W. river S 75 W —
 14.50 W. River course N 69 W — Set post at the Intersection of the Boundary, from which a Beech 10 Inches dia. bears N 70 W 2. 4 a ditch 10. bears N 7 W 14 Lks. —
 40.00 Set a half mile post from which a Blue Ash 8 Inches dia. bears N 55 E 6 1/2 Lks. a Beech 10 Inches dia. bears S 10 E 25 Lks. —
 80.00 Set post corner of Sec. N. 31 1/2 32. Town 4 N. R. 2 East from which a Sugar a Sugar 6 Inches dia. bears N 69 E 21 Lks. a Sugar 7 Inches dia. bears N 79 E 8 Lks. — good farming soil —

North Line continued

- 40.00 Set a half mile post from which a B. Oak 15 Inches dia. bears S 40 E 21 Lks. a Dogwood 6 Inches dia. bears S 37 W 14 Lks.
 80.00 Set post corner of Sec. N° 12. T. 1. N. R. 2 E from which a Beech 6 Inches dia. bears N 46 E 14 Lks. —
 Va Sugar 20 Inches dia. bears S 46 W 22 Lks. — Land the same quality —

North Line continued

- 20.00 Beech 24 Inches dia.
 24.00 Brook 10 Lks wide course North East —
 40.00 Set a half mile post from which a Beech 15 Inches dia. bears S 10 W 16 Lks. —
 Va mother Beech 10 Inches dia. bears N 45 E 11 Lks. —
 80.00 Beech 20 Inches dia. corner of Towns N° 3. 3. 4 14 in Ranges 243 East, this mile over level, Beech Timber & Sand —
 Sept 23^d 1806.

Boundary Line N. R. 2 E.

West Between Towns N° 34. North Range 2 East of 2^d Meridian — Sec. 36

- 40.00 Set a half mile post from which a Beech 15 Inches dia. bears N 67 W 3 Lks. an Elm 24 Inches dia. bears N 70 E 31 Lks.
 80.00 Set post corner of Sec. N° 35 436. T. 4 N. R. 2 E. from which a Hickory 5 Inches dia. bears S 43 E 6 Lks. an Ash 8 Inches dia. bears N 15 W 20 Lks. — Rich broken Land — Timber Oak. Ash. Poplar & Hickory — under brush Spruce —

West Line continued — Sec. 35

- 40.00 Set a half mile post from which a Dogwood 5 Inches dia. bears S 51 W 12 Lks. a Hickory 6 Inches dia. bears N 76 E 23 Lks.
 80.00 Set post corner of Section N° 34 433. T. 4 N. R. 2 E. from which a Beech 14 Inches dia. bears S 72 W 30 Lks. —
 Va Sugar 10 Inches dia. bears S 40 E 23 Lks. — Land the same quality —

West Line continued Sec. 34

- 21.00 Touched the North Side of a Brook 20 Lks wide course South West —
 24.00 Same course North West
 31.00 Same course South West
 32.00 Same course North West

- 40.00 Set a half mile post from which a Dogwood 6 Inches dia. bears S 70 W 17 Lks. a Beech 10 Inches dia. bears N 70 E 14 Lks.
 41.00 Same course South West
 49.00 Same course North West
 80.00 Set post corner of Section N° 33 434. T. 4 N. R. 2 E. from which a B. Walnut 20 Inches dia. bears S 44 E 2 Lks.
 Locust 6 Inches dia. bears N 7 W 30 Lks. — Land the same —

West Line continued Sec. 33

- 24.00 Set post on the bank of W. River on the Indian Boundary at the Intersection from which an Elm 40 Inches dia. bears S 42 W 29 Lks. — Maple 8 Inches dia. bears N 35 E 23 Lks. —
 31.95 to where the river turned N. W. Set post at the crossing of the boundary from which a Red bud 6 Inches dia. bears S 42 W 2 Lks. a Hickory 8 Inches dia. bears N 44 W 7 Lks. —
 40.00 Set a half mile post from which a Beech 10 Inches dia. bears S 33 E 23 Lks. a Red bud 8 Inches dia. bears N 22 E 11 Lks.
 80.00 Set post corner of Section N° 33 432. T. 4 N. R. 2 E. from which a Hickory 29 Inches dia. bears S 67 E 24 Lks.
 an Elm 12 Inches dia. bears S 5 W 19 1/2 Lks. — This mile over level Rich Land —

West Line continued Sec. 32

- 1.00 Set post on the Indian boundary or W. River from which a Sycamore 40 Inches dia. bears S 6 E 2 Lks.
 a Sycamore 30 Inches dia. bears N 56 E 28 Lks. — course of W. River S 73 W —
 14.50 W. River course N 69 W. — Set post at the Intersection of the Boundary from which a Beech 10 Inches dia. bears N 70 W 2 Lks. — a Birch 10.
 bears N 7 W 14 Lks. —
 40.00 Set a half mile post from which a Blue ash 8 Inches dia. bears N 55 E 6 1/2 Lks. a Beech 10 Inches dia. bears S 10 E 25 Lks. —
 80.00 Set post corner of Sec. N° 31 432. Town 4 N. R. 2 East from which a Sugar a sugar 6 Inches dia. bears N 69 E 21 Lks. a Sugar 7 Inches dia. bears N 19 E 8 Lks. — good farming soil —

West Line continued

8.60 Brook 50 Links wide course North

40.00 Set a half mile Post from which an Ironwood 6 Inches dia. bears N 16 W 2 1/2 Lks. & a Hickory 10 Inches dia. bears S 62 W 30 Links

54.78 Set post on the Indian Boundary, from which a Beech 10 Inches dia. bears S 25 W 26 Links.

& a Beech 8 Inches dia. bears S 87 W 6 Links - Land the same quality -

September 24th 1806.

Township N. 3 North Range S. 2 East. of the Meridian.

North Between Sec. 35 & 36

40.00 Set a half mile post - From which a W. Oak 24 In. D. bears N 14 E 14' - D° 20. Ans. D. bears N 22 W. 19 Chs.

80.00 Set post corner of Sec. 26, 26, 35 & 36 - From which a B. Oak 10" N 26 W. 10' Dogwood 6 In. D. bears N 67 E 5 Chs. - This mile over level land - Timber Oak & Hickory - Underbrush Spicewood & Sassafras.

East. Between Sec. 25 & 36 On Random.

40.00 Set a temporary half mile post.

80.21 Intersected N.D.S. Line 41 Chs North of Sec. corner - Thin Oak Timbered land

West. Between Sec. 25 & 36 On true Line.

40.10 Set the temporary post at average distance on true line for Sec. corner - From which a W. Oak 20 In. Diam. bears South 1/2 East - And Dogwood 6' N 44 W 20.

80.21 Station corner

North Between Sec. 25 & 26

40.00 Set a half mile post - From which a W. Oak 10" N 37 W 17' Sinter - And a Hickory 10 In. D. bears S 77 W. 17 Chs.

80.00 Set post corner of Sec. 25, 26, 25 & 26 - From which a Hickory 12" N 41 E 6' And a Cherrytree 12 In. D. bears S 5 W. 5 Chs. This Oak & Hickory Timbered Land.

East. Between Sec. 25 & 26 On Random.

40.00 Set a temporary half mile post.

80.00 Intersected the N.D.S. Line 80 N of Sec. corner - This mile over rolling Oak Timbered Land.

West Between Sec. 24 & 25 On True Line.

Township N. 3. North Range. N. 2 East of the Meridian Continued

40.00	Set Temporary post at Average Distance on true line for 1/2 Sec. corner - From which a B. Oak 15 Ins D. Bears S 55 E 24 lks. - Cherry 8 S. 39 W. 40 lks.
80.00	Sec. corner
November 11 th - 1806.	
North	Between Sec. 23 & 24.
11.10	B. Oak 12 Ins. D.
40.00	Set a half mile post - From which a W. Oak 12 Ins D. bears N 52 W 7
	D. 12 Ins Diam. Bears S 55 W. 26 lks.
80.00	Set post corner of Sec. N. 13, 14, 23 & 24 - From which a B. Oak 10 Ins Diam Bears S 13 W. 17 lks. D. 10 Ins Diam. Bears S 32 W. 11 links - Land the same quality.
East.	Between Sec. 13 & 24 On Random.
40.00	Set a temporary half mile post.
80.00	Intersected the N & S line 17 links North of Sec. corner - Good farming land.
West.	Between Sec. 13 & 24 On True Line.
40.00	Set the temporary half mile post - at Average distance on True Line for 1/2 Sec. corner - From which a W. Oak 12 Ins. Diam. Bears S 32 W. 11 lks. Dogwood 6 Ins. D. Bears S 13 W. 23.
80.00	Section corner.
North	Between Sec. 13 & 14.
34.30	W. Oak 20 Ins. Diam.
40.00	Set a half mile post - From which a B. Walnut 15 Ins. Diam. Bears S 13 E 27 lks. And a Sugar 10 Ins. Diam. Bears S 1 W. 18 links.

Township N. 3. North Range. N. 2 East of the Meridian Continued.

44.25	Brook 10 lks. Course W.
80.00	Set post corner of Sec. N. 11, 12, 13 & 14 - From which a Maple 10 Ins. Diam. Bears S 12 E. 26 lks. - And a B. Oak 12 Ins D. bears S 75 W. 12 - Thin broken Honey Land - Fin. Oak.
East.	Between Sec. 12 & 13. On Random.
40.00	Set a temporary half mile post.
79.61	Intersected the N & South line 11 links N of Sec. corner - Good Oak & Hickory Timbered land.
West.	Between 12 & 13 On true Line.
39.80 1/2	Set the temporary post at average Distance on true line for 1/2 Sec. corner - From which a Dogwood 5 Ins. D. bears S 39 E 4 - W. Oak 20 S 38 E 30 lks.
79.61	Sec. corner.
North	Between Sec. 11 & 12
13.50	Brook 30 links wide. Course N. E.
27.50	Same Course S. W.
40.00	Set a half mile post - From which a Dogwood 1 Ins. Diam. bears S 1 E 28 lks. - And a W. Oak 20 Ins. Diam. bears N 10 W. 26 lks.
73.50	Brook 10 lks. wide Course W.
80.00	Set a post corner of Sec. 11, 12, 19 & 2 - From which a Dogwood 6 Ins. Diam. Bears S 5 E 28 lks. - And a Hickory 12 Ins. D. bears N 5. W 13 lks. Very Hilly. Honey Soil.
East.	Between Sec. 18 & 12 On Random.
40.00	Set a temporary half mile post.
61.50	Brook 10 links wide Course N. E.
80.00	Intersected the N & South line 14 lks. N of Sec. corner - Rich broken Land.

Township N. 3. North Range. N. 2 East of the Mountain. Continued

44.00 Let a temporary post at average distance on true line for the Sec.
From which a distance of 100 rods to the corner of the Sec. 10
at 100 rods to the Sec. 10.

45.00 Sec. corner

November 12th 1886.

North Between Sec. 23 & 24.

46.00 Sec. corner

47.00 Let a temporary post at average distance on true line for the Sec.
From which a distance of 100 rods to the corner of the Sec. 10
at 100 rods to the Sec. 10.

48.00 Let a temporary post at average distance on true line for the Sec.
From which a distance of 100 rods to the corner of the Sec. 10
at 100 rods to the Sec. 10.

East. Between Sec. 13 & 25 On Standard.

49.00 Let a temporary half mile post.

50.00 Let a temporary post at average distance on true line for the Sec.
From which a distance of 100 rods to the corner of the Sec. 10
at 100 rods to the Sec. 10.

North. Between Sec. 13 & 25 On true line.

51.00 Let a temporary half mile post at average distance on true line
for the Sec. corner. From which a distance of 100 rods to the corner of the Sec. 10
at 100 rods to the Sec. 10.

52.00 Sec. corner

South. Between Sec. 23 & 24.

53.00 Sec. corner

54.00 Let a half mile post. From which a distance of 100 rods to the corner of the Sec. 10
at 100 rods to the Sec. 10.

Township N. 3. North Range. N. 2 East of the Mountain. Continued

55.00 West to the corner of the Sec. 10.

56.00 Let a temporary post at average distance on true line for the Sec.
From which a distance of 100 rods to the corner of the Sec. 10
at 100 rods to the Sec. 10.

East. Between Sec. 13 & 25 On Standard.

57.00 Let a temporary half mile post.

58.00 Let a temporary post at average distance on true line for the Sec.
From which a distance of 100 rods to the corner of the Sec. 10
at 100 rods to the Sec. 10.

59.00 Between Sec. 13 & 25 On true line.

60.00 Let a temporary post at average distance on true line for the Sec.
From which a distance of 100 rods to the corner of the Sec. 10
at 100 rods to the Sec. 10.

61.00 Sec. corner

North. Between Sec. 13 & 25

62.00 West to the corner of the Sec. 10.

63.00 Sec. corner

64.00 Let a half mile post. From which a distance of 100 rods to the corner of the Sec. 10
at 100 rods to the Sec. 10.

65.00 West to the corner of the Sec. 10.

66.00 Let a temporary post at average distance on true line for the Sec.
From which a distance of 100 rods to the corner of the Sec. 10
at 100 rods to the Sec. 10.

East. Between Sec. 13 & 25 On Standard.

67.00 Let a temporary half mile post.

68.00 West to the corner of the Sec. 10.

69.00 Let a temporary post at average distance on true line for the Sec.
From which a distance of 100 rods to the corner of the Sec. 10
at 100 rods to the Sec. 10.

Township N. 3. North Range. S. 2 East of the Division boundary

- 28.25 Set the temporary post at average distance on line for S. Sec. corner from which a Wherry 12 Sec. Diam. bears S. 2 W. 26 Cuts - Another Wherry 10 Sec. Diam. bears S. 15 E. 36.
- 30.20 Section corner.
- North Between Sec. 27 & 28.
- 32.00 Break 16 1/2 rods corner post.
- 34.00 Set a half mile post - From which a N. 60 E. 1/2 Sec. Diam. bears S. 15 E. 36 Cuts 1/2 Sec. Diam. bears S. 15 E. 36 Cuts
- 36.00 Set post corner of Sec. 27 & 28, 29 & 30 - From which a N. 60 E. 20 Sec. Diam. bears S. 15 E. 36 Cuts 1/2 Sec. Diam. bears S. 15 E. 36 Cuts - Same the same kind.
- East. Between Sec. 27 & 28 On Mountain.
- 38.00 Set a temporary half mile post.
- 40.16 Intersected the S. 2 E. line 4 Secs. 1/2 of the corner - post land forming land - Section 27 & Wherry.
- West. Between Sec. 29 & 30 On line.
- 42.00 Set the temporary post at average distance on line for S. Sec. corner from which a N. 60 E. 1/2 Sec. Diam. bears S. 15 E. 36 Cuts 1/2 Sec. Diam. bears S. 15 E. 36 Cuts - Another N. 60 E. 1/2 Sec. Diam. bears S. 15 E. 36 Cuts
- 44.16 Sec. corner.
- North Between Sec. 31 & 32.
- 46.00 Set post corner of Sec. - From which a N. 60 E. 1/2 Sec. Diam. bears S. 15 E. 36 Cuts 1/2 Sec. Diam. bears S. 15 E. 36 Cuts - Another N. 60 E. 1/2 Sec. Diam. bears S. 15 E. 36 Cuts
- 48.00 Set post corner of Sec. 31, 32, 33 & 34 - From which a N. 60 E. 1/2 Sec. Diam. bears S. 15 E. 36 Cuts 1/2 Sec. Diam. bears S. 15 E. 36 Cuts - Same the same quality.
- East. Between Sec. 33 & 34 On Mountain.
- 50.00 Set a temporary half mile post.

Township N. 3. North Range. S. 2 East of the Division boundary

- 52.50 Intersected the S. 2 E. line 4 Secs. 1/2 of the corner - post land forming land - Section 27 & Wherry.
- West. Between 33 & 34 On line.
- 54.00 Set the temporary post at average distance on line for S. Sec. corner from which a N. 60 E. 1/2 Sec. Diam. bears S. 15 E. 36 Cuts 1/2 Sec. Diam. bears S. 15 E. 36 Cuts - Another N. 60 E. 1/2 Sec. Diam. bears S. 15 E. 36 Cuts
- 56.00 Sec. corner.
- North Between Sec. 35 & 36
- 58.00 Break 16 1/2 rods corner post.
- 60.00 Set a half mile post - From which a N. 60 E. 1/2 Sec. Diam. bears S. 15 E. 36 Cuts 1/2 Sec. Diam. bears S. 15 E. 36 Cuts - Another N. 60 E. 1/2 Sec. Diam. bears S. 15 E. 36 Cuts
- 62.00 Set post corner of Sec. 35, 36, 37 & 38 - From which a N. 60 E. 1/2 Sec. Diam. bears S. 15 E. 36 Cuts 1/2 Sec. Diam. bears S. 15 E. 36 Cuts - Same the same kind.
- East. Between Sec. 35 & 36 On Mountain.
- 64.00 Set a temporary half mile post.
- 66.00 Intersected the S. 2 E. line 4 Secs. 1/2 of the corner - post land forming land - Section 27 & Wherry.
- West. Between 37 & 38 On line.
- 68.00 Set the temporary post at average distance on line for S. Sec. corner from which a N. 60 E. 1/2 Sec. Diam. bears S. 15 E. 36 Cuts 1/2 Sec. Diam. bears S. 15 E. 36 Cuts - Another N. 60 E. 1/2 Sec. Diam. bears S. 15 E. 36 Cuts
- 70.00 Sec. corner.
- North Between Sec. 39 & 40
- 72.00 Set a half mile post - From which a N. 60 E. 1/2 Sec. Diam. bears S. 15 E. 36 Cuts 1/2 Sec. Diam. bears S. 15 E. 36 Cuts - Another N. 60 E. 1/2 Sec. Diam. bears S. 15 E. 36 Cuts
- 74.00 Set post corner of Sec. 39, 40, 41 & 42 - From which a N. 60 E. 1/2 Sec. Diam. bears S. 15 E. 36 Cuts 1/2 Sec. Diam. bears S. 15 E. 36 Cuts - Same the same quality.
- East. Between Sec. 39 & 40 On Mountain.
- 76.00 Set a temporary half mile post.

November 15th 1806

North Between Sec. 33 & 32.

Township N. 3. North Range N. 2 East of the Meridian Contingent

- 40.25 Set the temporary post at average distance on line for 2. Sec corner
From which a 1/2 mile to Sec 2. From which a 1/2 mile to Sec 2. From which a 1/2 mile to Sec 2.
- 40.30 Station corner.
- 40.35 Between Sec. 27 & 28.
- 40.40 Break 10 1/2 mile corner West.
- 40.45 Set a half mile post. From which a 1/2 mile to Sec 2. From which a 1/2 mile to Sec 2. From which a 1/2 mile to Sec 2.
- 40.50 Set post corner of Sec. 27 & 28. From which a 1/2 mile to Sec 2. From which a 1/2 mile to Sec 2. From which a 1/2 mile to Sec 2.
- East. Between Sec. 27 & 28 On Meridian.
- 40.55 Set a temporary half mile post.
- 40.60 Intersected the S. 2. S. line & center of Sec. corner - good level facing
corner - Between Sec. 27 & 28.
- West. Between Sec. 27 & 28 On True Line.
- 40.65 Set the temporary post at average distance on line for 2. Sec. corner
From which a 1/2 mile to Sec 2. From which a 1/2 mile to Sec 2. From which a 1/2 mile to Sec 2.
- 40.70 Sec corner.
- 40.75 Between Sec. 27 & 28.
- 40.80 Set post corner of Sec. 27 & 28. From which a 1/2 mile to Sec 2. From which a 1/2 mile to Sec 2. From which a 1/2 mile to Sec 2.
- 40.85 Set post corner of Sec. 27 & 28. From which a 1/2 mile to Sec 2. From which a 1/2 mile to Sec 2. From which a 1/2 mile to Sec 2.
- East. Between Sec. 27 & 28 On Meridian.
- 40.90 Set a temporary half mile post.

Township N. 3. North Range N. 2 East of the Meridian Contingent

- 40.95 Intersected the S. 2. S. line & center of Sec. corner - good level facing
corner - Between Sec. 27 & 28 On True Line.
- 41.00 Set the temporary post at average distance on line for 2. Sec. corner
From which a 1/2 mile to Sec 2. From which a 1/2 mile to Sec 2. From which a 1/2 mile to Sec 2.
- 41.05 Sec corner.
- 41.10 Between Sec. 27 & 28.
- 41.15 Break 10 1/2 mile corner West.
- 41.20 Set a half mile post - From which a 1/2 mile to Sec 2. From which a 1/2 mile to Sec 2. From which a 1/2 mile to Sec 2.
- 41.25 Set post corner of Sec. 27 & 28. From which a 1/2 mile to Sec 2. From which a 1/2 mile to Sec 2. From which a 1/2 mile to Sec 2.
- 41.30 West. Between Sec. 27 & 28 On Meridian.
- 41.35 Set a temporary half mile post.
- 41.40 Intersected the S. 2. S. line & center of Sec. corner - good level facing
corner - Between Sec. 27 & 28 On True Line.
- 41.45 Set the temporary post at average distance on line for 2. Sec. corner
From which a 1/2 mile to Sec 2. From which a 1/2 mile to Sec 2. From which a 1/2 mile to Sec 2.
- 41.50 Sec corner.
- 41.55 Between Sec. 27 & 28.
- 41.60 Set a half mile post - From which a 1/2 mile to Sec 2. From which a 1/2 mile to Sec 2. From which a 1/2 mile to Sec 2.
- 41.65 Set post corner of Sec. 27 & 28. From which a 1/2 mile to Sec 2. From which a 1/2 mile to Sec 2. From which a 1/2 mile to Sec 2.
- 41.70 Set post corner of Sec. 27 & 28. From which a 1/2 mile to Sec 2. From which a 1/2 mile to Sec 2. From which a 1/2 mile to Sec 2.
- 41.75 North. Between Sec. 33 & 32.

November 14th 1806

Township N^o 3 North Range N^o 2 East of the Meridian Continued.

- 39.00 Set the temporary post at Average Distance on True Line for $\frac{1}{2}$ Sec. Corner.
From which a Hickory 12 S 3 E 16 — Dogwood 6 N 49 W 23.
- 78.00 Section Corner
- North Between Sec. 28 & 29
- 40.00 Set a half mile post — From which a Dogwood 6 Ins. Diam. Bears South
29 Chs & a Beech 6 Ins. Diam. Bears N 81 E 14 $\frac{1}{2}$ Chs.
- 64.30 Poplar 42 Ins. Diam.
- 67.00 Beech 10 Course W.
- 80.00 Set post corner of Sec. 14 & 15. 289 — From which a Beech 24 Ins. Diam. bears
S 66 W 36 Chs — Another Beech 15 Ins. Diam. Bears S 31 E 29 Chs — Very
Rich Rolling Land.

November 13th 1806.

- North Between Sec. 31 & 32.
- 40.00 Set a half mile post — From which a Hickory 10 Ins. D. Bears S 62 W 9 Chs.
And a Dogwood 5 Ins D. N 52 E 33 Chs.
- 48.50 Beech 12 Chs Course W.
- 80.00 Set post corner of Sec. 29, 30, 31 & 32 — From which a W. Oak 12 Ins. Diam.
Bears S 6 E 22 Chs — And a W. Oak 10 N 79 E 12 — This Mile Over thin
brushy Land.
- East. Between Sec. 29 & 32 On Random.
- 40.00 Set a temporary half mile post.
- 71.00 Beech 10 Chs Course S.
- 80.00 Intersected the N & South line 50 links North of Sec. Corner — Land the same
- West. Between Sec. 29 & 32 On True Line
- 40.00 Set the Temporary post at Average Distance On True Line for $\frac{1}{2}$ Sec. Corner
From which a Hickory 10 S 33 E 4 Chs — D^r 12 Ins. D^r bears N 40 E 14 Chs

Township N^o 3 North Range N^o 2 East of the Meridian Continued

- 80.00 Section Corner.
- West. Between Sec. 31 & 30
- 13.60 B. Oak 18 Ins Diam.
- 40.00 Set a half mile post — From which a B. Oak 6 Ins. Diam. bears N. 70 E. 33 Chs
Elm 6 S 17 E 14 Chs.
- 84.86 Set post corner of Sec. 30 & 31 on the West boundary 67 Chs North of Sec. Corner
From which a Dogwood 6 Ins. Diam. bears S 44 E 17 Chs. Beech 15 Ins. D. bears
S 60 W 8 Chs — Land the same.
- North Between Sec. 29 & 30.
- 15.50 Hickory 15 Ins. D.
- 121.00 Beech 10 Course W.
- 40.00 Set a half mile post — From which a Dogwood 6 S 4 W 18 Chs — And B. Oak
10 Ins D. bears S 29 W 8 Chs.
- 80.00 Set post corner of Sec. 19, 20, 29, 30 — From which a Maple 15 Ins. Diam.
bears S. 43 E 27 Chs — And an Elm 6 Ins D. bears North 9 Chs — Land
level — Timber Oak, Hickory & Beech.
- East. Between Sec. 29 & 20. On Random.
- 40.00 Set a temporary half mile post.
- 80.79 Intersected the N & South line 10 Chs N of Sec. Corner — Land the same.
- West. Between Sec. 29 & 20 On True Line.
- 40.39 $\frac{1}{2}$ Set the temporary post at Average Distance on True Line for $\frac{1}{2}$ Sec. Corner
From which a Poplar 12 Ins. D. bears S 79 E 54 — Gum 12 N 76 E 40 Chs.
- 80.79 Sec. Corner.
- West. Between Sec. 19 & 30
- 28.45 W. Oak 20 Inches Diameter.
- 40.00 Set a half mile post — From which a Dogwood 6 Ins D^r N 84 E 37 Chs

Township N. 3 North Range N. 2 East of the Meridian Continued

- Beech 10 N 7 W. 17 Chs.
- 83.54 Set post corner of Sec. 19 & 30 on the West boundary 16 Chs South of Sec. Corner
From which a Poplar 10 N 60 E 6 Chs — D^r 6 Ins D^r bears S 37 W. 19 Chs.
Land the same.
- North Between Sec. 19 & 20
- 13.41 Beech 10 Ins. Diam.
- 37.50 W. Oak 24 Ins. Diam.
- 40.00 Set a half mile post — From which a Beech 24 Ins. D^r bears S 12 E 21 — D^r
10 Ins. Diam. Bears N 86 W 14 Chs.
- 80.00 Set post corner of Sections 17, 18, 19 & 20 — From which a Hickory 8 Ins. D^r
Bears S 2 E 40 Chs — Another Hickory 6 Ins D^r bears S 30 W. 4 links —
Land the same.
- East. Between Sec. 20 & 17. On Random.
- 15.50 Brook 12 links Course North.
- 40.00 Set a temporary half mile post.
- 80.00 Intersected the N & South line 10 Chs N of Sec. corner — Land the same.
- West. Between Sec. 20 & 17 On True line.
- 40.00 Set the temporary post at average Distance on True line for 1/2 Sec. Corner
From which a Dogwood 6 Ins. D^r bears N 5 E 8 — And a W. Oak 6 Ins D^r
bears S 38 E links.
- 80.00 Sec corner
- West. Between 18 & 19
- 29.78 W. Oak 24 Ins. D^r.
- 40.00 Set a half mile post — From which a W. Oak 5 Ins. D^r Bears N 77 E 28
W. Oak 5 N 22 W 14 Chs.
- 80.40 Set post corner of Sec. 18 & 19 On the West Boundary 30 Chs. North.

Township N. 3 North Range N. 2 East of the Meridian Continued.

- of Sec. Corner — From which a W. Oak 15 S 77 E 4 Chs — D^r 8 Ins. D^r Bears S 8 W.
19 Chs — Brushy Timbered Soil.
- North Between Sec. 17 & 18
- 25.00 Brook 20 Chs. N. W.
- 40.00 W. Oak 10 Ins D^r 1/2 Sec. Corner
- 64.25 Poplar 15 Ins Diam.
- 80.00 Set post corner of Sec. 7, 8, 17 & 18 — From which a Maple 8 Ins D^r bears S 7 W
31 Chs — And a Beech 20 Ins. Diam. bears S 76 W 2 Chs — Good farming Oak
Timbered Soil
- East. Between Sec. 17 & 8 On Random
- 38.50 ~~Brook~~ 2 Chs wide N. W.
- 40.00 Set a temporary half mile post.
- 60.50 Brook 40 links wide Course N. W.
- 79.27 Intersected the N & South line at Sec. Corner. Land the same quality
November 16th 1806 —
- West. Between 17 & 8 Blazing
- 39.43 Set the temporary post at average distance for 1/2 Section corner — From which
a Hickory 10 Ins. D^r bears N 26 E 19 Chs — Sugar 10 Ins Diam. bears S 3 E
17 Chs
- 79.27 Sec. Corner.
- West. Between Sec. 7 & 18.
- 3.50 Brook 12 Chs North
- 10.50 Brook 8 Chs. North
- 40.00 Set a half mile post — From which a Dogwood 6 N 76 E 23 links — Another
Dogwood 7 S 40 E 12 links.
- 80.22 Set post corner of Sec. 7 & 18 on the West boundary 1.36 North of Section

Township N. 3 North Range. R. 2 East of the Meridian Continued.

Corner — From which a Hickory 10 Ins. D^r bears S 67 W 12 Chs. — W. Oak 15 Ins D^r 131 E 29 Chs. Thin brushy Soil.

North Between Sec. 7 & 8

1.50 Brook 8 Chs. West.

11.50 Brook 16 Chs. N.E.

40.00 Set a half mile post — From which a Beech 10 Ins. Diam^r bears S 10 E 29 Chs. — W. Oak 10 Ins D^r bears S 22 E 12 Chs.

20.00 Set post corner of Sec. 3, 6, 7 & 8 — From which a W. Walnut 20 Ins D^r bears S 2 E 22 Chs. — W. Oak 10 Ins Diam^r bears N 33 W 12 Links Land Kelling Timber Oak, Hickory Walnut.

East. Between Sec. 5 & 8 On Random.

15.00 Brook 20 Chs. Course N.

50.00 Set a temporary half mile post

58.00 Brook 10 Course N.W.

79.20 Intersected the N & South 20 Chs N of Sec. corner — Land the same.

West. Between Sec. 5 & 8 On True Line.

39.60 Set the temporary post at average Distance on true Line for 1/2 Sec. corner From which a Sugar 8 Ins. N 32 E 18 Links — Another Sugar 6 Ins N 16 W 2 1/2

79.20 Sec. corner.

West. Between Sec. 6 & 7

4.45 W. Oak 26 Ins. Diam^r.

40.00 Set a half mile post — From which a Logwood 6 Ins Diam^r bears N 15 W 16 Chs. — And a Poplar 8 Ins. D^r bears S 27 E 24 Chs.

78.00 Set post corner of Sec. 6 & 7 On the West boundary 35 Chs. N of section From which a W. Oak 10 Ins. Diam^r bears N 33 E 18 Chs. — Another W. Oak

Township N. 3 North Range. R. 2 East of the Meridian Continued

12 Ins. D^r bears S 28 W 21 Chs. — Land the same kind.

North Between Sec. 5 & 6

30.00 Brook 40 Chs. N.W.

36.00 Same Course N.E.

37.50 Same Course N.W.

40.00 Set a half mile post — From which a Red haw 6 Ins D^r bears N 16 W 5 Chs. Sugar 8 S 74 E 10 Chs

48.00 Beech 20 Ins D^r.

76.74 1/2 Set post corner of Sec. 5 & 6 on the N boundary 4.22 East of Sec. corner From which a Hickory 10 bears S 75 E 8 Chs. — Sugar 8 S 10 W 12 Chs.

East. Between Sections 4 & 9 On Random.

40.00 Set a Temporary half mile post.

79.00 Intersected the N & South line 20 links South of Sec. corner — Good farming Land.

West. Between Sec. 4 & 9 On True Line.

39.50 Set the temporary post at average Distance on true line for 1/2 Sec. corner From which a Beech 10 Ins. D^r S 36 E 18 — D^r 8 Ins. S 23 W 4 Chs.

79.00 Sec. corner.

North Between Sec. 3 & 4

33.40 Beech 20 Ins. Diam^r.

40.00 Set a half mile post — From which a Beech 8 S 22 W 16 1/2 Links — D^r 6 Ins D^r bears N 16 E 18 Chs.

78.00 Set post on the N. boundary corner of Sec. 3 & 4 — 1.71 East of Sec. corner From which a W. Oak 10 Ins. D^r bears N 16 E — 46 Chs. — This post stands in a Brook 40 East — Land the same.

East Between Sec. 3 & 10 On Random.

Township N. 3 North Range N. 2 East of the Meridian Continued.

40.00 Set a temporary half mile post.
 81.00 Intersected the A & S Line 60 Chs N of Sec. Corner - Land very rich & hilly.
 West. Between 3810 On True Line.
 40.50 Set the temporary post at Average Distance on true line for 1/4 Sec. Corn
 From which a Sugar 15 Ins. Diam. Bears N 54 W 17 Chs - D^o 20 In. D^r
 Bears S 68 E 26 Chs.
 81.00 Section Corner.

November 17th 1806.

North Between Sec. 4 & 5.
 5.00 Birch 20 Ins D.
 40.00 Set a half mile post - From which a Blue Ash 10 In. Diam. Bears
 S 8 E 34 Chs - Another Blue Ash 7 Ins D^r bears N 24 W 27 Chs.
 76.50 Set post on the North boundary - From which a Locust 15 In. D^r
 bears S 2 E 16 Chs - Boxelder 5 Ins N 40 E 11 Chs - Land hilly and
 very rich

Meanders of the Left bank of
 White R. from post in N. bound.
 thence down stream.

S. 57 W 4.31 in Sec. 11.
 West 2.50
 N. 84 W 3.30
 N. 60 W 1.40
 N. 55 W 1.07 To post in N. bound by N.
 side of River.

Surveyed by

Arthur Hennie

Deputy Surveyor

From post in N. boundy again
 S. 57 W 7.13
 S. 83 W 4.69
 N. 77 W 3.50
 N. 47 W 1.614 to a Birch 8 in dia.
 marked for a bearing
 see in the N. boundary
 of T. 3 N. R. 2 E.